

65959-50.ST25.txt
SEQUENCE LISTING

<110> Boender, Piet
<120> IMPROVED METHODS FOR GENERATING MULTIPLE RNA COPIES
<130> 65959/50
<140> 10/532,028
<141> 2005-04-21
<150> PCT/EP03/12058
<151> 2003-10-30
<150> US 60/440,688
<151> 2003-01-17
<150> EP 02447204.5
<151> 2002-10-30
<160> 3
<170> PatentIn version 3.3
<210> 1
<211> 55
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer

<220>
<221> misc_feature
<222> (50)..(55)
<223> N = an equimolar mixture of A, C, G and T bases of which the last nucleotide is a 2'-3' dideoxynucleotide and the final phosphate bond has been exchanged with a phosphorothioate bond

<400> 1
aattctaata cgactcacta tagggagaga aggataccac tagctagcgn nnnnn 55

<210> 2
<211> 36
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer

<220>
<221> misc_feature
<222> (31)..(36)
<223> N stands for an equimolar mixture of A, C, G and T bases - of which the last nucleotide is a 2'-3' dideoxynucleotide

<400> 2
aattctaata cgactcacta tagggagaga nnnnnn 36

<210> 3
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 3
agcacggaaa gacgatgacg gaaaaagaga

30